



DX 6 POWDER-ACTUATED TOOL

**Accessories and consumables
compatibility**



DX6 MX Digitally enabled powder-actuated tool for fastening collated nails

**Fastener guide:**

X-6-MX72

**Fastener:**

X-X_MX

X-P_MX

X-U_MX

X-C_MX

X-CT_MX

X-FS_MX

X-SW_MX

X-ET_MX

X-ECT_MX

X-EKS_MX

X-FB_MX

X-HS_MX

X-HS-W_MX

X-ECC_MX

X-ECH_MX

X-EKB_MX

Piston:

X-6-5-P8

X-6-5-P8W

for wood fastening

Cartridge:

6.8/11 M 10 for DX 6

titanium, black

DX6 F8 Digitally enabled powder-actuated tool for fastening single nails

Standard fastener guide
Fastener guide:

X-6-F8


Fastener:

X-X_P8

X-P_P8

X-U_P8

X-U_P8 TH

X-C_P8

X-CR_P8

X-CR_P8S12

X-CR M8

X-R_P8

X-ST-GR M8_P8

X-CT_DP8

X-FS

X-DFS

X-SW

X-FB

X-EM6H-_FP8

X-EW6H-_FP8

X-EF7H-_FP8

X-M6-_FP8

X-W6-_FP8

X-F7-_FP8

X-EM8H-_P8

X-M8-_P8

X-HS

X-CC

X-HS-W_P8

Piston:

X-6-5-P8

X-6-5-P8W

for wood fastening

X-6-5-P8AL

Cartridge:

6.8/11 M 10 for DX 6

titanium, black

DX-Kwik fastener guide (DX-Kwik method/pre-drilled concrete)
Fastener guide:

X-6-F8


Fastener:

X-M6H-_-37 FP8

X-M8H-_-37 P8

X-CRM8-_-42

Piston:

X-6-5-PKwik

Cartridge:

 6.8/11 M10 for DX 6
titanium, black

Fastener:

X-DNH 37 P8S15

X-DKH 48 P8S15

Piston:

X-6-5-P8

Cartridge:

 6.8/11 M10 for DX 6
titanium, black

Narrow access fastener guide (Ø: 15.2 mm, h: 53.2 mm)
Fastener guide:

X-6-F8N15


Fastener:

X-P_P8

X-U_P8

X-C_P8

X-CR_P8

X-CRM_P8

X-ST-GR M8_P8

Piston:

X-6-5-P8

Cartridge:

 6.8/11 M10 for DX 6
titanium, black

Narrow access fastener guide (w × t × h: 10.4 × 25.9 × 50 mm)
Fastener guide:

X-6-F8N10


Fastener:

X-P_P8

X-U_P8

X-C_P8

X-CR_P8

X-CRM_P8

Piston:

X-6-5-P8

Cartridge:

 6.8/11 M10 for DX 6
titanium, black

Grating fastener guide

Fastener guide:

X-6-FGR



Fastener:

X-GR
X-PGR-RU
X-ST-_M8_P8
X-EM 8H

Piston:

X-6-5-PGR

Cartridge:

6.8/11 M10 for DX 6
titanium, black

M10 fastener guide

Fastener guide:

X-6-5-F10



Fastener:

DS_P10
EDS 19 P10, EDS 22 P10
X-EM8H-15-12 FP10
X-EM10H-24-12 P10

Piston:

X-6-5-P10

Cartridge:

6.8/11 M10 for DX 6
titanium, black

Insulation fastener guide (up to 140 mm insulation thickness)

Fastener guide:

X-6-FIE-L



Fastener:

X-IE
XI-FV

Piston:

X-6-5-PIE-L

Cartridge:

6.8/11 M10 for DX 6
titanium

Insulation fastener guide (up to 200 mm insulation thickness)

Fastener guide:

X-6-FIE-XL



Fastener:

X-IE
XI-FV

Piston:

X-6-5-PIE-XL

Cartridge:

6.8/11 M10 for DX 6
titanium

DX6 IE Digitally enabled powder-actuated tool for fastening insulation

Fastener guide:

X-6-FIE-XL

Fastener:

X-IE

XI-FV

Piston:

X-6-5-PIE-XL


Cartridge:

6.8/11 M10 for DX 6
titanium

DX6 GR Digitally enabled powder-actuated tool for fastening grating

Fastener guide:

X-6-FGR

Fastener:

X-GR

X-PGR-RU

X-EM 8H

Piston:

X-6-5-PGR


Cartridge:

6.8/11 M10 for DX 6
titanium, black

DX6 F10 Digitally enabled powder-actuated tool

Fastener guide:

X-6-F10

Fastener:

DS_P10

EDS 19 P10, EDS 22 P10

X-EM8H-15-12 FP10

X-EM10H-24-12 P10

Piston:

X-6-5-P10


Cartridge:

6.8/11 M10 for DX 6
titanium, black