



Hilti Threaded meter rod

Submission Folder

Product Information	2
Letters	
Country of Origin	6



Recycling one ton of paper saves 17 trees and 7000 gallons of water.

Please consider your environmental responsibility before using the hard copy version!

Threaded meter rod (Galvanized, grade 8.8)

Technical data	
Material composition	steel, 8.8 grade
Material, corrosion	zinc-plated
Standard (threaded rod)	DIN 976
Standard (material)	ISO 898

Order Now




Ordering designation	Anchor size	Length	Drill bit diameter	Base plate clearance hole	Sales pack quantity	Item number
AM8X1000 8.8 zincd	M8	1000 mm	10 mm	9 mm	20 pc	407496
AM10X1000 8.8 zincd	M10	1000 mm	12 mm	12 mm	20 pc	407497
AM12X1000 8.8 zincd	M12	1000 mm	14 mm	14 mm	15 pc	407498
AM16X1000 8.8 zincd	M16	1000 mm	18 mm	18 mm	5 pc	407499
AM20X1000 8.8 zincd	M20	1000 mm	24 mm	22 mm	5 pc	407500
AM24X1000 8.8 zincd	M24	1000 mm	28 mm	26 mm	5 pc	407501
AM27X1000 8.8 zincd	M27	1000 mm	30 mm	30 mm	1 pc	2008138
AM30X1000 8.8 zincd	M30	1000 mm	35 mm	33 mm	1 pc	2008139 ¹⁾
AM33X1000 8.8 zincd	M33	1000 mm	37 mm	36 mm	1 pc	2008330 ¹⁾
AM36X1000 8.8 zincd	M36	1000 mm	40 mm	39 mm	1 pc	2008331 ¹⁾
AM39X1000 8.8 zincd	M39	1000 mm	42 mm	42 mm	1 pc	2008332 ¹⁾

Please visit Hilti website for the latest item numbers and related products

Flat washer (Galvanized)

Technical data	
Hardness	200 HV
Surface finished	zinc-plated
Standard (washer)	ISO 7089 / DIN 125



Order Now




Ordering designation	Anchor size	Inside diameter - DI	Outside diameter - DA	Cross section thickness - s	Sales pack quantity	Item number
A 8,4/16 zincd	M8	8.4 mm	16 mm	1.6 mm	200 pc	2184556
A 10,5/20 zincd	M10	10.5 mm	20 mm	2 mm	150 pc	2184511
A 13/24 zincd	M12	13 mm	24 mm	2.5 mm	100 pc	2184512
A 17/30 zincd	M16	17 mm	30 mm	3 mm	100 pc	282853
A 21/37 zincd	M20	21 mm	37 mm	3 mm	50 pc	282854
A 25/44 zincd	M24	25 mm	44 mm	4 mm	50 pc	2184515
A 28/50 zincd	M27	28 mm	50 mm	4 mm	100 pc	2008282
A 31/56 zincd	M30	31 mm	56 mm	4 mm	100 pc	2008283 ¹⁾
A 34/60 zincd	M33	34 mm	60 mm	5 mm	50 pc	2048043
A 37/66 zincd	M36	37 mm	66 mm	5 mm	50 pc	2048044
A 42/72 zincd	M39	42 mm	72 mm	6 mm	50 pc	2008286 ¹⁾

Please visit Hilti website for the latest item numbers and related products

Customer Hotline: Hong Kong 8228 8118, Macau 00800 8228 8118 Email: hksales@hilti.com

Hexagon nut (Galvanized)

Technical data	
Material composition	Class 8
Surface finished	zinc-plated
Standard (Nut)	DIN 934



Order Now



Ordering designation	Thread - M	Height - H	Wrench size - W	Sales pack quantity	Item number
M8 zincd	M8	7 mm	13 mm	100 pc	2184504
M10 zincd	M10	8 mm	17 mm	100 pc	2184505
M12 zincd	M12	10 mm	19 mm	50 pc	2184554
M16 zincd	M16	13 mm	24 mm	50 pc	2184506
M20 zincd	M20	16 mm	30 mm	25 pc	2184507
M24 zincd	M24	19 mm	36 mm	25 pc	2184508
M27 zincd	M27	22 mm	41 mm	25 pc	362307
M30 zincd	M30	24 mm	46 mm	25 pc	362309 ¹⁾
M33 zincd	M33	26 mm	50 mm	20 pc	362134
M36 zincd	M36	29 mm	55 mm	10 pc	362135
M39 zincd	M39	31 mm	60 mm	10 pc	362136 ¹⁾

Please visit Hilti website for the latest item numbers and related products

Threaded meter rod (Hot-dip galvanized, grade 8.8)

Technical data	
Material composition	Steel, 8.8 grade
Material, corrosion	Hot-dip galvanized
Standard (threaded rod)	DIN 976
Standard (material)	ISO 898

Order Now




Ordering designation	Anchor size	Length	Drill bit diameter	Base plate clearance hole	Sales pack quantity	Item number
AM10x1000 8.8 HDG	M10	1000 mm	12 mm	12 mm	20 pc	419102
AM12x1000 8.8 HDG	M12	1000 mm	14 mm	14 mm	15 pc	419103
AM16x1000 8.8 HDG	M16	1000 mm	18 mm	18 mm	5 pc	419104
AM20x1000 8.8 HDG	M20	1000 mm	22 mm	22 mm	5 pc	419105
AM24x1000 8.8 HDG	M24	1000 mm	28 mm	26 mm	5 pc	419106
AM27x1000 8.8 HDG	M27	1000 mm	30 mm	30 mm	120 pc	2008338 ¹⁾
AM30x1000 8.8 HDG	M30	1000 mm	35 mm	33 mm	100 pc	2008339 ¹⁾
AM33x1000 8.8 HDG	M33	1000 mm	37 mm	36 mm	80 pc	2008340 ¹⁾
AM36x1000 8.8 HDG	M36	1000 mm	40 mm	39 mm	60 pc	2008341 ¹⁾

* For M27-M36, Hilti offer meter rod, nut & washer as non-stock items. For detailed lead time information, please contact your Hilti representative.

Please visit Hilti website for the latest item numbers and related products

Flat washer (Hot-dip galvanized)

Technical data	
Hardness	200 HV
Material, corrosion	Hot-dip galvanized
Standard (washer)	ISO 7089 / DIN 125



Order Now



Ordering designation	Anchor size	Inside diameter - DI	Outside diameter - DA	Cross section thickness - s	Sales pack quantity	Item number
A 10,5/20-F	M10	10.5 mm	20 mm	2 mm	150 pc	2184530
A 13/24-F	M12	13 mm	24 mm	2.5 mm	100 pc	2184531
A 17/30-F	M16	17 mm	30 mm	3 mm	50 pc	2184532
A 21/37-F	M20	21 mm	37 mm	3 mm	200 pc	2008399
A 25/44-F	M24	25 mm	44 mm	4 mm	200 pc	2008287
A 28/50-F	M27	28 mm	50 mm	4 mm	100 pc	2008288 ¹⁾
A 31/56-F	M30	31 mm	56 mm	4 mm	100 pc	2008289 ¹⁾
A 34/60-F	M33	34 mm	60 mm	5 mm	50 pc	2008360 ¹⁾
A 37/66-F	M36	37 mm	66 mm	5 mm	50 pc	2048045 ¹⁾

¹⁾ This is a non-stock item. For detailed lead time information please contact your Hilti representative.


* For M27-M36, Hilti offer meter rod, nut & washer as non-stock items. For detailed lead time information, please contact your Hilti representative.

Please visit Hilti website for the latest item numbers and related products

Hexagon nut (Hot-dip galvanized)

Technical data

Material composition	Class 8
Material, corrosion	Hot-dip galvanized
Standard (Nut)	DIN 934



Order Now



Ordering designation	Thread - M	Height - H	Wrench size - W	Sales pack quantity	Item number
M10-F	M10	8 mm	17 mm	100 pc	304765
M12-F	M12	10 mm	19 mm	100 pc	304766
M16-F	M16	13 mm	24 mm	50 pc	304767
M20-F	M20	16 mm	30 mm	50 pc	304768
M24-F	M24	19 mm	36 mm	50 pc	2008236
M27-F	M27	22 mm	41 mm	25 pc	2008237 ¹⁾
M30-F	M30	24 mm	46 mm	25 pc	2008238 ¹⁾
M33-F	M33	26 mm	50 mm	10 pc	2008239 ¹⁾
M36-F	M36	29 mm	55 mm	10 pc	2008290 ¹⁾

¹⁾ This is a non-stock item. For detailed lead time information please contact your Hilti representative.


* For M27-M36, Hilti offer meter rod, nut & washer as non-stock items. For detailed lead time information, please contact your Hilti representative.

Please visit Hilti website for the latest item numbers and related products

Threaded meter rod (A4 stainless steel)

Technical data

Material composition	Stainless steel A4=70
Standard (threaded rod)	DIN 976
Standard (material)	ISO 3506-1



Order Now



Ordering designation	Anchor size	Length	Drill bit diameter	Base plate clearance hole	Sales pack quantity	Item number
AM8x1000 A4-70	M8	1000 mm	10 mm	9 mm	10 pc	58666
AM10x1000 A4-70	M10	1000 mm	12 mm	12 mm	10 pc	58670
AM12x1000 A4-70	M12	1000 mm	14 mm	14 mm	5 pc	58671
AM16x1000 A4-70	M16	1000 mm	18 mm	18 mm	5 pc	58683
AM20x1000 A4-70	M20	1000 mm	24 mm	22 mm	5 pc	58688
AM24x1000 A4-70	M24	1000 mm	28 mm	26 mm	5 pc	58689


Please visit Hilti website for the latest item numbers and related products

Customer Hotline: Hong Kong 8228 8118, Macau 00800 8228 8118 Email: hksales@hilti.com

Flat washer (A4 stainless steel)

Technical data

Hardness	200 HV
Material, corrosion	Stainless steel A4
Standard (washer)	ISO 7089 / DIN 125




Order Now



Ordering designation	Anchor size	Inside diameter - DI	Outside diameter - DA	Cross section thickness - s	Sales pack quantity	Item number
A 8,4/16 A4	M8	8.4 mm	16 mm	1.6 mm	200 pc	2184478
A 10,5/20 A4	M10	10.5 mm	20 mm	2 mm	150 pc	2184477
A 13/24 A4	M12	13 mm	24 mm	2.5 mm	100 pc	2184549
A 17/30 A4	M16	17 mm	30 mm	3 mm	50 pc	2184535
A 21/37 A4	M20	21 mm	37 mm	3 mm	25 pc	387990
A 25/44 A4	M24	25 mm	44 mm	4 mm	25 pc	387991

Hexagon nut (A4 stainless steel)

Technical data	
Material composition	Class 8
Material, corrosion	Stainles steel A4
Standard (Nut)	DIN 934



Order Now



Ordering designation	Thread - M	Height - H	Wrench size - W	Sales pack quantity	Item number
M8 A4-70	M8	7 mm	13 mm	50 pc	52460
M10 A4-70	M10	8 mm	17 mm	50 pc	52461
M12 A4-70	M12	10 mm	19 mm	50 pc	52462
M16 A4-70	M16	13 mm	24 mm	25 pc	52463
M20 A4-70	M20	16 mm	30 mm	25 pc	387992
M24 A4-70	M24	19 mm	36 mm	25 pc	387993

Please visit Hilti website for the latest item numbers and related products

Safety glasses



Technical data	
Lens	PC material
Thickness	2.1 mm
Coating	Optidur NCH coating
Filter	2C-1.2
Impact energy	45 m/s

Order Now



Ordering designation	Sales pack quantity	Item number
Safety glasses PP EY-CA NCH clear	1 pc	2065449

Please visit Hilti website for the latest item numbers and related products

Accessories for blowing out



APPLICATIONS

- For fast and efficient removal of dust and debris from drilled holes of varying diameters and depths to allow correct installation of anchors and rebar

Technical data	
Dispenser, setting tool, accessory, tester type	Cleaning accessories

Order Now



Ordering designation	Sales pack quantity	Item number
Blow-out pump	1 pc	60579
Extension tube HIT-VL 16/0.7	10 pc	336646 ¹⁾

Please visit Hilti website for the latest item numbers and related products

Attn. : To whom it may concern

Date : 25 October 2021
Ref. : 131/AN/RV/21

Subject : Country of Origin - Hilti Meter Rod Portfolio

Dear Sir / Madam,

Enclosed please find the information of Hilti Meter rod portfolio.

Brand Name : Hilti

Manufacturer : Hilti Corporation

Address of Manufacturer : FL-9494, Principality of Liechtenstein.

Supplier : Hilti (Hong Kong) Ltd

Address of Supplier : 701-704, 7/F, Tower A, Manulife Financial Centre,
223 Wai Yip Street, Kwun Tong, Kowloon, Hong Kong

Country of Origin : *(Attached)*

Should you have further questions, please do not hesitate to contact our Technical Representatives, Customer Service Hotline at 8228-8118, or email us at hksales@hilti.com.

Yours faithfully,



Ricky Yau
Head of Product Leadership Strategy
Hilti (Hong Kong) Ltd.

Item number	Model name	Country of Origin
407496	Threaded rod AM 8.8 M8x1000 zincd	China
407497	Threaded rod AM 8.8 M10x1000 zincd	China
407498	Threaded rod AM 8.8 M12x1000 zincd	China
407499	Threaded rod AM 8.8 M16x1000 zincd	China
407500	Threaded rod AM 8.8 M20x1000 zincd	China
407501	Threaded rod AM 8.8 M24x1000 zincd	China
2008138	Threaded rod AM 8.8 M27x1000 zincd	China
2008139	Threaded rod AM 8.8 M30x1000 zincd	China
2008330	Threaded rod AM 8.8 M33x1000 zincd	China
2008331	Threaded rod AM 8.8 M36x1000 zincd	China
2008332	Threaded rod AM 8.8 M39x1000 zincd	China
2184556	Flat washer 8 8,4x16x1,6 Zn ISO7089 200H	Germany
2184511	Flat washer 10 10,5x20x2 Zn ISO7089 200H	Germany
2184512	Flat washer 12 13x24x2,5 Zn ISO7089 200H	Germany
2184513	Flat washer 16 17x30x3 Zn ISO7089 200HV	Germany
2184514	Flat washer 20 21x37x3 Zn ISO7089 200HV	Germany
2184515	Flat washer 24 25x44x4 Zn ISO7089 200HV	Germany
2008282	Flat washer A 28/50 zincd	Germany
2008283	Flat washer A 31/56 zincd	China
2048043	Flat washer A 34/60 zincd	Germany
2048044	Flat washer A 37/66 zincd	China
2008286	Flat washer A 42/72 zincd	Germany
2184504	Hexagon nut M8 Zn DIN 934 8	Taiwan
2184505	Hexagon nut M10 Zn DIN 934 8	Taiwan
2184554	Hexagon nut M12 Zn DIN 934 8	China
2184506	Hexagon nut M16 Zn DIN 934 8	China
2184507	Hexagon nut M20 Zn DIN 934 8	China
2184508	Hexagon nut M24 Zn DIN 934 8	Malaysia
362307	Hexagon nut M27 zincd	China
362309	Hexagon nut M30 zincd	Germany
362134	Hexagon nut M33 zincd	Germany
362135	Hexagon nut M36 zincd	China
362136	Hexagon nut M39 zincd	Germany
419102	Threaded rod AM 8.8 M10x1000 HDG	China
419103	Threaded rod AM 8.8 M12x1000 HDG	China
419104	Threaded rod AM 8.8 M16x1000 HDG	China
2232592	Threaded rod M20x1000 8.8 HDG	China
2232593	Threaded rod M24x1000 8.8 HDG	China
2008338	Threaded rod AM 8.8 M27x1000 HDG	China
2008339	Threaded rod AM 8.8 M30x1000 HDG	China
2008340	Threaded rod AM 8.8 M33x1000 HDG	China
2008341	Threaded rod AM 8.8 M36x1000 HDG	China
2184530	Flat washer A 10.5/20-F	Denmark
2184531	Flat washer A 13/24-F	China
2184532	Flat washer A 17/30-F	Denmark
2008399	Flat washer A 21/37-F	Denmark
2008287	Flat washer A 25/44-F	Denmark

2008288	Flat washer A 28/50-F	Denmark
2008289	Flat washer A 31/56-F	Denmark
2008360	Flat washer A 34/60-F	Denmark
304765	Hexagon nut M10-F	China
304767	Hexagon nut M16-F	China
304768	Hexagon nut M20-F	China
2008236	Hexagon nut M24-F	China
2008237	Hexagon nut M27-F	China
2008238	Hexagon nut M30-F	Germany
2008239	Hexagon nut M33-F	China
2008290	Hexagon nut M36-F	China
58666	Threaded rod AM8x1000 A4-70	Italy
58670	Threaded rod AM10x1000 A4-70	Italy
58671	Threaded rod AM12x1000 A4-70	Italy
58683	Threaded rod AM16x1000 A4-70	Italy
58688	Threaded rod AM20x1000 A4-70	Italy
58689	Threaded rod AM24x1000 A4-70	Italy
2184478	Flat washer 8 8,4x16x1,6 ISO 7089 A4 200	China
2184477	Flat washer 10 10,5x20x2 ISO 7089 A4 200	China
2184549	Flat washer 12 13x24x2,5 ISO 7089 A4 200	China
2184535	Flat washer 16 17x30x3 ISO 7089 A4 200 H	India
387990	Flat washer A 21/37 A4	India
387991	Flat washer A 25/44 A4	China
52460	Hexagon nut M8 A4-70	Malaysia
52461	Hexagon nut M10 A4-70	Malaysia
52462	Hexagon nut M12 A4-70	Malaysia
387992	Hexagon nut M20 A4-70	Malaysia
387993	Hexagon nut M24 A4-70	India