

Cleaning Spray 500 ml

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Issue date: 30/10/2023

Revision date: 30/10/2023

Supersedes: 11/04/2017

Version: 3.1

SECTION 1: Identification

1.1. GHS Product identifier

Product form	Mixture
Name	Cleaning Spray 500 ml
UN-No. (ADR)	1950
Product code	BU Direct Fastening

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use For professional use only

1.4. Supplier's details

Supplier

Hilti (Hong Kong) Ltd.

701-704, 7/F, Tower A, Manulife Financial Centre 223 Wai Yip Street, Kwun

Tong

HK– Kowloon

Hong Kong

T +852 27734 700

hksales@hilti.com

Department issuing data specification sheet

Hilti AG

Feldkircherstraße 100

FL– 9494 Schaan

Liechtenstein

T +423 234 2111

df-hse@hilti.com

1.5. Emergency phone number

Emergency number
Emergency CONTACT (24-Hour-Number):
GBK GmbH Global Regulatory Compliance
+49 (0)6132-84463

+852 27734 700

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Aerosol, Category 1	H222;H229	On basis of test data
Skin corrosion/irritation, Category 2	H315	Calculation method
Specific target organ toxicity – Single exposure, Category 3, Narcosis	H336	Calculation method
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411	Calculation method
Full text of H-statements: see section 16		

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

Hazard pictograms (GHS UN)



Signal word (GHS UN)

Danger

Hazardous ingredients

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane

Hazard statements (GHS UN)

H222 - Extremely flammable aerosol

H229 - Pressurised container: May burst if heated

Cleaning Spray 500 ml

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Precautionary statements (GHS UN)	<p>H315 - Causes skin irritation</p> <p>H336 - May cause drowsiness or dizziness</p> <p>H411 - Toxic to aquatic life with long lasting effects</p> <p>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P251 - Do not pierce or burn, even after use.</p> <p>P261 - Avoid breathing vapours, spray, mist.</p> <p>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p>
-----------------------------------	---

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	CAS-No.: 92128-66-0	50 – 75	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Propane	CAS-No.: 74-98-6	10 – 12.5	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
Butane	CAS-No.: 106-97-8	5 – 10	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
isobutane	CAS-No.: 75-28-5	5 – 10	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
Carbon dioxide (Propellant gas (Aerosol))	CAS-No.: 124-38-9	< 2.5	Press. Gas (Liq.), H280

Full text of H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	Take off immediately all contaminated clothing. Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	Get immediate medical advice/attention.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	Shortness of breath.
Symptoms/effects after skin contact	Irritation.
Symptoms/effects after eye contact	Eye irritation.

Cleaning Spray 500 ml

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media Water spray. Carbon dioxide. Dry powder. Foam. Sand.
Unsuitable extinguishing media Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard Extremely flammable aerosol.
Explosion hazard Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Hazardous decomposition products in case of fire Formation of toxic gases is possible during heating or in case of fire. Thermal decomposition generates : Carbon dioxide. Carbon monoxide.

5.3. Special protective actions for fire-fighters

Precautionary measures fire Fight fire remotely due to the risk of explosion.
Firefighting instructions DO NOT fight fire when fire reaches explosives. Evacuate area.
Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Evacuate area. No flames, no sparks. Eliminate all sources of ignition.

6.1.1. For non-emergency personnel

Emergency procedures Ventilate spillage area. Avoid breathing spray, vapours. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. Breathing apparatus.
Emergency procedures Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up Do not flush with water.
Other information For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Do not eat, drink or smoke when using this product. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Additional hazards when processed Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures Proper grounding procedures to avoid static electricity should be followed.
Storage conditions Keep cool. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place.
Incompatible materials Heat sources. Direct sunlight.
Heat and ignition sources Keep away from heat and direct sunlight.

Cleaning Spray 500 ml

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Information on mixed storage
Storage temperature

Do not store with DX powder cartridges.
5 – 25 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls Ensure good ventilation of the work station.
Environmental exposure controls Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection In case of repeated or prolonged contact wear gloves

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,4	No supplementary information available	EN ISO 374

Eye protection Chemical goggles or safety glasses. EN 170

Respiratory protection No respiratory protection needed under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition	Standard
Breathing apparatus with filter	A2/P3	If conc. in air > exposure limit	EN 143

Personal protective equipment symbol(s)



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	Liquid
Appearance	Aerosol
Colour	clear.
Odour	solvent-like.
Odour threshold	Not available
Melting point	Not determined
Freezing point	Not available
Boiling point	Not available
Flammability	Extremely flammable aerosol.
Lower explosion limit	0.6 vol %
Upper explosion limit	10.9 vol %
Flash point	-12 °C (major component)
Auto-ignition temperature	> 200 °C (major component)
Decomposition temperature	Not determined
pH	Not determined
pH solution	Not available

Cleaning Spray 500 ml

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Viscosity, kinematic (calculated value) (40 °C)	Not available
Partition coefficient n-octanol/water (Log Pow)	Not determined
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	5500 hPa (20°C)
Vapour pressure at 50°C	Not available
Density	0.7 g/cm ³ (20°C)
Relative density	Not determined
Relative vapour density at 20°C	Not available
Solubility	Practically not miscible.
Viscosity, dynamic	Not determined
Particle size	Not applicable

9.2. Data relevant with regard to physical hazard classes (supplemental)

Explosive properties	Product is not explosive. May form flammable/explosive vapour-air mixture
% of flammable ingredients	107.5 %
VOC content	663 g/l (97,90 %)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heat. Sparks. Open flame. Direct sunlight. Overheating.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	Not classified (Based on available data, the classification criteria are not met)

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane (92128-66-0)	
LD50 oral rat	> 5840 mg/kg bodyweight
LD50 dermal rat	> 2920 mg/kg bodyweight
LC50 Inhalation - Rat (Vapours)	> 25.2 mg/l/4h
Propane (74-98-6)	
LC50 Inhalation - Rat [ppm]	> 280000 ppm (literature)
Butane (106-97-8)	
LC50 Inhalation - Rat [ppm]	276798.8 ppm

Cleaning Spray 500 ml

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

isobutane (75-28-5)	
LC50 Inhalation - Rat [ppm]	> 18000 ppm
Skin corrosion/irritation	Causes skin irritation. pH: Not determined
Serious eye damage/irritation	Not classified (Based on available data, the classification criteria are not met) pH: Not determined
Respiratory or skin sensitisation	Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	May cause drowsiness or dizziness.
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane (92128-66-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	Not classified (Based on available data, the classification criteria are not met)
Cleaning Spray 500 ml	
Vaporizer	Aerosol

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	Toxic to aquatic life with long lasting effects.

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane (92128-66-0)	
LC50 - Fish [1]	11.4 mg/l (96 h, Oncorhynchus mykiss, (OECD 203 method))
EC50 - Crustacea [1]	3 mg/l (48 h, Daphnia magna, (OECD 202 method))
ErC50 algae	≥ 10 mg/l (72 h, Pseudokirchneriella subcapitata, (OECD 201 method))
NOEC (chronic)	0.17 (21 d, Daphnia magna, (OECD 211 method), Read-across)
NOEC chronic fish	2.045 mg/l (Quantitative structure-activity relationship (QSAR))
NOEC chronic crustacea	0.17 mg/l (21 d; Daphnia magna; (OECD 211 method))
NOEC chronic algae	3 mg/l (72 h, Pseudokirchneriella subcapitata, (OECD 201 method))
Butane (106-97-8)	
LC50 - Fish [1]	24 – 148 mg/l (Quantitative structure-activity relationship (QSAR))
EC50 - Crustacea [1]	7 – 70 mg/l (Quantitative structure-activity relationship (QSAR))
EC50 72h - Algae [1]	7 – 17 mg/l (Quantitative structure-activity relationship (QSAR))
isobutane (75-28-5)	
LC50 - Fish [1]	24.11 – 147.54 mg/l (Quantitative structure-activity relationship (QSAR))
EC50 - Crustacea [1]	7.02 – 69.43 mg/l (Quantitative structure-activity relationship (QSAR))
ErC50 algae	7.71 – 16.5 mg/l (Quantitative structure-activity relationship (QSAR))
Carbon dioxide (124-38-9)	
LC50 - Fish [1]	35 mg/l (96 h; Salmo gairdneri; Literature data)

Cleaning Spray 500 ml

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

12.2. Persistence and degradability

Cleaning Spray 500 ml	
Persistence and degradability	No additional information available
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane (92128-66-0)	
Persistence and degradability	Readily biodegradable.
Biodegradation	98 % (28 d; (OECD 301F method))
Propane (74-98-6)	
Not rapidly degradable	
Persistence and degradability	Readily biodegradable in water.
Butane (106-97-8)	
Not rapidly degradable	
isobutane (75-28-5)	
Not rapidly degradable	
Persistence and degradability	Readily biodegradable.
Carbon dioxide (124-38-9)	
Not rapidly degradable	
Persistence and degradability	Not applicable.

12.3. Bioaccumulative potential

Cleaning Spray 500 ml	
Partition coefficient n-octanol/water (Log Kow)	Not determined
Bioaccumulative potential	No additional information available
Propane (74-98-6)	
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).
isobutane (75-28-5)	
Partition coefficient n-octanol/water (Log Kow)	1.09 – 2.8 (20 °C)
Bioaccumulative potential	Bioaccumulation unlikely.
Carbon dioxide (124-38-9)	
Partition coefficient n-octanol/water (Log Kow)	0.83 (Measured)

12.4. Mobility in soil

Cleaning Spray 500 ml	
Mobility in soil	No additional information available

12.5. Other adverse effects

Ozone	Not classified (Based on available data, the classification criteria are not met)
Other adverse effects	No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation	Disposal must be done according to official regulations.
Waste treatment methods	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	Container under pressure. Do not drill or burn even after use.

Cleaning Spray 500 ml

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Additional information

Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shipping name			
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS
Transport document description			
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1
14.3. Transport hazard class(es)			
2.1	2.1	2.1	2.1
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
Environmentally hazardous substances derogation applies (quantity of liquids ≤ 5 litres or net mass of solids ≤ 5 kg). The environmentally hazardous substance mark is therefore not required, as stated in the ADR regulation, section 5.2.1.8.1.			
No supplementary information available			

14.6. Special precautions for user

Overland transport

Classification code (ADR)	5F
Special provisions (ADR)	190, 327, 344, 625
Limited quantities (ADR)	1I
Excepted quantities (ADR)	E0
Packing instructions (ADR)	P207, LP200
Special packing provisions (ADR)	PP87, RR6, L2
Mixed packing provisions (ADR)	MP9
Transport category (ADR)	2
Special provisions for carriage - Packages (ADR)	V14
Special provisions for carriage - Loading, unloading and handling (ADR)	CV9, CV12
Special provisions for carriage - Operation (ADR)	S2
Tunnel restriction code (ADR)	D

Transport by sea

Special provisions (IMDG)	63, 190, 277, 327, 344, 381, 959
Limited quantities (IMDG)	SP277
Excepted quantities (IMDG)	E0



Cleaning Spray 500 ml

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Packing instructions (IMDG)	P207, LP200
Special packing provisions (IMDG)	PP87, L2
EmS-No. (Fire)	F-D
EmS-No. (Spillage)	S-U
Stowage category (IMDG)	None
Stowage and handling (IMDG)	SW1, SW22
Segregation (IMDG)	SG69
MFAG-No	126

Air transport

PCA Excepted quantities (IATA)	E0
PCA Limited quantities (IATA)	Y203
PCA limited quantity max net quantity (IATA)	30kgG
PCA packing instructions (IATA)	203
PCA max net quantity (IATA)	75kg
CAO packing instructions (IATA)	203
CAO max net quantity (IATA)	150kg
Special provisions (IATA)	A145, A167, A802
ERG code (IATA)	10L

Rail transport

Classification code (RID)	5F
Special provisions (RID)	190, 327, 344, 625
Limited quantities (RID)	1L
Excepted quantities (RID)	E0
Packing instructions (RID)	P207, LP200
Special packing provisions (RID)	PP87, RR6, L2
Mixed packing provisions (RID)	MP9
Transport category (RID)	2
Special provisions for carriage – Packages (RID)	W14
Special provisions for carriage - Loading, unloading and handling (RID)	CW9, CW12
Colis express (express parcels) (RID)	CE2
Hazard identification number (RID)	23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

Regulatory reference Not listed on the United States TSCA (Toxic Substances Control Act) inventory.

SECTION 16: Other information

Issue date	10/30/2023
Revision date	10/30/2023
Supersedes	4/11/2017

Indication of changes:

General revision.

Section	Changed item	Change	Comments
3	Composition/information on ingredients	Modified	

Cleaning Spray 500 ml

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Section	Changed item	Change	Comments
8.2	Physical and chemical properties	Modified	
11	Toxicological information	Modified	
12.1	Ecotoxicological information	Modified	

Abbreviations and acronyms

CAS-No. - Chemical Abstract Service number
 ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
 ATE - Acute Toxicity Estimate
 CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
 DNEL - Derived-No Effect Level
 EC50 - Median effective concentration
 ED - Endocrine disrupting properties
 EC-No. - European Community number
 EN - European Standard
 IATA - International Air Transport Association
 IMDG - International Maritime Dangerous Goods
 IOELV - Indicative Occupational Exposure Limit Value
 LC50 - Median lethal concentration
 LD50 - Median lethal dose
 NOEC - No-Observed Effect Concentration
 OECD - Organisation for Economic Co-operation and Development
 N.O.S. - Not Otherwise Specified
 OEL - Occupational Exposure Limit
 PBT - Persistent Bioaccumulative Toxic
 PNEC - Predicted No-Effect Concentration
 REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
 RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
 SDS - Safety Data Sheet
 STP - Sewage treatment plant
 TLM - Median Tolerance Limit
 TRGS - Technical Rules for Hazardous Substances
 VOC - Volatile Organic Compounds
 WGK - Water Hazard Class
 vPvB - Very Persistent and Very Bioaccumulative
 NOAEL - No-Observed Adverse Effect Level
 NOAEC - No-Observed Adverse Effect Concentration
 LOAEL - Lowest Observed Adverse Effect Level

Full text of H-statements:	
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Gas 1A	Flammable gases, Category 1A
Flam. Liq. 2	Flammable liquids, Category 2
Press. Gas (Comp.)	Gases under pressure : Compressed gas
Press. Gas (Liq.)	Gases under pressure : Liquefied gas
H220	Extremely flammable gas
H222	Extremely flammable aerosol



Cleaning Spray 500 ml

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Full text of H-statements:	
H225	Highly flammable liquid and vapour
H229	Pressurised container: May burst if heated
H280	Contains gas under pressure; may explode if heated
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects

SDS UN HILTI

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.